





L_204 DRIVE ENTRANCE II


KEY	LATIN NAME	COMMON NAME	SIZE	SIZE (OTHER)	NOTES	QUANTITY
TREES						
JV	Juniperus virginiana	Eastern Red Cedar	10'-12' ht			5
PG	Picea glauca	White Spruce	14'-16' ht		Or Pinus strobus	4
PA	Picea abies	Norway Spruce	16'-18' ht			9
PS	Pinus strobus	Eastern White Pine	14'-16' ht		Or Picea glauca	4
SHRUBS						
Cm	Cornus mas	Cornelian Cherry Dogwood	5'	7 Gallon		1
Cp	Corylopsis pauciflora	Buttercup Witchhazel	3'	7 gallon		1
Cs	Corylopsis spicata	Spike Winterhazel	3'	5 gallon		1
Fi	Fothergilla x intermedia 'Mount Airy'	Mount Airy Fothergilla	3'	3 gallon		2
HJ	Hamamelis x intermedia Jelena	Jelena Witchhazel	5'	7 gallon		1
HD	Hamamelis x intermedia Diane	Diane Witchhazel	5'	7 gallon		1
Vr	Viburnum rhytidophyllum	Leatherleaf Viburnum	4'	7 gallon		6
VINES						
Jn	Jasminum nudiflorum	Winter Jasmine		3 Gallon		6


- 


PROPERTY LINE
- 


EXISTING SURVEYED DECIDUOUS TREE
- 

EXISTING SURVEYED EVERGREEN TREE
- 

EXISTING TREES BASED OFF AERIAL PHOTO
- 

EXISTING SURVEYED WOODLAND EDGE
- 

PROPOSED TREES
- 

PROPOSED SHRUBS
- 

EXISTING CONTOURS
- 

PROPOSED HEDGE

- PLANTING NOTES
- CONTRACTOR IS RESPONSIBLE FOR DETERMINING THE LOCATION OF ALL EXISTING UTILITIES PRIOR TO COMMENCING WITH THE WORK.
 - COORDINATE INSTALLATION OF PLANTS WITH INSTALLATION OF HARDSCAPE AND UTILITIES INCLUDING IRRIGATION AND LIGHTING.
 - NO PLANT SUBSTITUTIONS TO BE MADE UNLESS AUTHORIZED IN WRITING BY DEA.
 - ALL PLANTS TO BE PLACED IN THE FIELD BY LANDSCAPE ARCHITECT.
 - OBTAIN SOIL TEST RESULTS FOR ALL SOIL TO BE USED IN TREE PITS PRIOR TO DELIVERY. FURNISH SOIL ANALYSIS BY A QUALIFIED SOIL-TESTING LABORATORY STATING PERCENTAGES OF ORGANIC MATTER, GRADATION OF SAND, SILT, AND CLAY; PH; AND MINERAL AND PLANT NUTRIENT CONTENT OF SOIL. SUBMIT TEST RESULTS TO LANDSCAPE ARCHITECT A MINIMUM OF 30 DAYS PRIOR TO PLANTING FOR ANALYSIS AND RECOMMENDATIONS FOR SOIL AMENDMENTS.
 - SOIL TEST RESULTS WILL DETERMINE ACTUAL SOIL AMENDMENTS AND FERTILIZATION REQUIRED. ALL AMENDMENTS SHALL BE INCORPORATED INTO THE SOIL A MINIMUM OF 8 INCHES UNIFORMLY.
 - FOR PLANTERS AND POTS WITH PERENNIALS AND ANNUALS USE METRO-MIX LIGHTWEIGHT SOIL OR SIMILAR APPROVED.
 - 2" OF TRIPLE SHREDDED PINE BARK MULCH TO BE USED IN ALL PLANTING, EXCEPT GROUNDCOVER (1" DEPTH). CONTRACTOR TO DETERMINE MULCH QUANTITY.
 - LARGE SHRUBS AND TREES TO BE ANCHORED WITH WIRES TO PREVENT UPROOTING IN HIGH WINDS.
 - ALL SHRUB AND PERENNIAL PLANTING SHALL HAVE A REPLACEMENT GUARANTEE FOR A PERIOD OF ONE YEAR BEGINNING AT THE DATE OF CERTIFIED LANDSCAPE COMPLETION.
 - ALL TREES SHALL HAVE A REPLACEMENT GUARANTEE FOR A PERIOD OF TWO YEARS BEGINNING AT THE DATE OF CERTIFIED LANDSCAPE COMPLETION.

B	Plants relocated to lesser slopes	DE	09/30/20
A	Issued to Planning Dept	DE	09/03/20
REV	DESCRIPTION	APP.	DATE


DAVID EATON ASSOCIATES
578 STERLING PLACE
BROOKLYN, NY, 11238

176 Moog Road
Garrison

PLANTING PLAN
DRIVE ENTRANCE II

DATE	07/12/2020	STATUS	DRAFT
SCALE	1/8" = 1'-0"	DRAWN	DD
DWG. NO	L_204	APPROVED	DE